## **KP PLAST**

# Yellow MK



#### ◆Product summary

Color Index Generic Name	C.I.Solvent Yellow 167	
Color Index Constitution Numbers	588390	
General Classification	Anthraquinone Dye	
Shape	Powder	
Appearance	Yellow	
Density	100±2.5 (Relative ratio of absorbance for standard)	
Color Difference	< 1.5 (Measurement by photo colorimeter with C/2 Light source )	
Moisture	< 0.5%	
Melting Point	186 ~ 192℃	
Bulk density	0.25 $\sim$ 0.45 g/cm3	
Toluene-insoluble	< 0.3%	
pH ( 2g / 100ml)	5.0 ~ 7.5	


#### ◆Solubility of Organic Solvents

Acetone	0.4
Methyl ethyl ketone	1.0
Ethanol	< 0.1
Ethyl acetate	0.6
Toluene	1.8 ( g /100ml , 25℃±2℃ )

#### ◆Applicable resins

PS	0
AS	0
ABS	0
РММА	0
PC	0
PA	Δ
PET	0
PBT	0

### ◆ Visible light absorption spectrum



Notice: Please note that depending on your environment, there are some items and colors that can not be accurately displayed nor printed.